


TERZANI
LA LUCE PENSATA

Argent 4 linear multi light pendant
0N92S-F



Design Dodo Arslan

TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- F

230-240V ~ 50/60Hz MAX 240W

12xMAX 20W G4 12V

Halogen

or

12xMAX 2W G4 12Vac

LED

OAHmax200cm
12xMAX 20W G4 12V



OAHmax300cm
12xMAX 14W G4 12V

OAHmax400cm
12xMAX 10W G4 12V

OAH>400cm
12xMAX 2W G4 12Vac



14,8Kgf
148N



TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- F

230-240V ~ 50/60Hz MAX 240W

12xMAX 20W G4 12V

Halogen

or

12xMAX 2W G4 12Vac

LED

OAHmax200cm
12xMAX 20W G4 12V

OAHmax300cm
12xMAX 14W G4 12V






OAHmax400cm
12xMAX 10W G4 12V

OAH>400cm
12xMAX 2W G4 12Vac



14,8Kg
148N

x2



TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- -- F

230-240V ~ 50/60Hz MAX 240W

12xMAX 20W G4 12V

Halogen

or

12xMAX 2W G4 12Vac

LED

OAHmax200cm
12xMAX 20W G4 12V





OAHmax300cm
12xMAX 14W G4 12V

OAHmax400cm
12xMAX 10W G4 12V

OAH>400cm
12xMAX 2W G4 12Vac




14,8Kgf
148N



CLEANING INSTRUCTIONS | monthly cleaning is recommended

YES



IT Usare panno elettrostatico asciutto

UK Use dry electrostatic cloth


FR Utiliser un chiffon électrostatique sec

DE Verwenden sie ein trockenes elektrostattuch

PY Использовать сухую электростатическую ткань

عربي استخدم قطعة قماش جافة كهرباء

NO



IT Non usare prodotti chimici

UK Do not use chemical products

FR Ne pas utiliser des produits chimiques

DE Verwenden Sie keine Chemikalien

PY Нельзя использовать химикаты

عربي لا تستخدم المنتجات الكيماوية




IT Conservare questa istruzione per la manutenzione | **UK** Keep these instructions for maintenance

FR Garder ces instructions pour l'entretien | **DE** Dies Wartungsanleitung ist aufzubewahren

PY Сохраните эту инструкцию по эксплуатации | عربي احتفظ بهذه الإرشادات للصيانة

TERZANI
LA LUCE PENSATA

Argent 4 linear multi light pendant
0N92S-FL



Design Dodo Arslan

TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- -- FL

220-240V ~ 50/60Hz MAX 24W

12xMAX 2W G4 12Vdc

LED



14,8Kgf
148N



Y





1...10 V

10V PWM



EMC


CB



(A)

(B)

(F)



(D)

(C)

(H)

(E)

(G)



IT
questo prodotto non
è compatibile con le
lampadine LED G4
12V a marchio
Beghelli

UK
this product is not
compatible with
Beghelli branded G4
12V LED bulbs

FR
cet produit n'est pas
compatible avec les
ampoules LED G4
12V marquée
Beghelli

DE
Das Produkt ist nicht
kompatibel mit LED
G4 12V Leuchtmittel
Beghelli

RU
Это изделие не
совместимо со
светодиодными
лампами LED Beghelli
G4 12V

عربي
هذا المنتج لا يتوافق مع
مصابيح ليد
LED G4 12V
من نوع بيغيلي Beghelli

TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- FL








220-240V ~ 50/60Hz MAX 24W

12xMAX 2W G4 12Vdc

LED



10V PWM



TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- -- FL

220-240V ~ 50/60Hz MAX 24W

12xMAX 2W G4 12Vdc

LED







10V PWM




ERC

CB



CLEANING INSTRUCTIONS | monthly cleaning is recommended

YES



IT Usare panno elettrostatico asciutto

UK Use dry electrostatic cloth


FR Utiliser un chiffon électrostatique sec

DE Verwenden sie ein trockenes elektrostattuch

PY Использовать сухую электростатическую ткань

عربي استخدم قطعة قماش جافة كهرباء

NO



IT Non usare prodotti chimici

UK Do not use chemical products

FR Ne pas utiliser des produits chimiques

DE Verwenden Sie keine Chemikalien

PY Нельзя использовать химикаты

عربي لا تستخدم المنتجات الكيماوية




IT Conservare questa istruzione per la manutenzione | **UK** Keep these instructions for maintenance

FR Garder ces instructions pour l'entretien | **DE** Dies Wartungsanleitung ist aufzubewahren

PY Сохраните эту инструкцию по эксплуатации | عربي احتفظ بهذه الإرشادات للصيانة

TERZANI
LA LUCE PENSATA

Argent 4 linear multi light pendant
0N92S-FD



Design Dodo Arslan

TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- -- FD

230-240V ~ 50/60Hz MAX 240W

12xMAX 20W G4 12V

Halogen

or

12xMAX 2W G4 12Vac

LED

OAHmax200cm
12xMAX 20W G4 12V




OAHmax300cm
12xMAX 14W G4 12V

OAHmax400cm
12xMAX 10W G4 12V

OAH>400cm
12xMAX 2W G4 12Vac



14,8Kgf
148N



IT

questo prodotto non è compatibile con le lampadine LED G4 12V a marchio Beghelli

UK

this product is not compatible with Beghelli branded G4 12V LED bulbs

FR

cet produit n'est pas compatible avec les ampoules LED G4 12V ampoules LED G4 12V Leuchtmittel

DE

Das Produkt ist nicht kompatibel mit LED G4 12V Leuchtmittel

RU

Это изделие не совместимо со светодиодами лампами LED Beghelli G4 12V

عربي
هذا المنتج لا يتوافق مع مصابيح ليد LED G4 12V من نوع بيغيلي Beghelli

TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- -- FD

230-240V ~ 50/60Hz MAX 240W

12xMAX 20W G4 12V

Halogen

or

12xMAX 2W G4 12Vac

LED

OAHmax200cm
12xMAX 20W G4 12V



OAHmax300cm
12xMAX 14W G4 12V










OAHmax400cm
12xMAX 10W G4 12V



OAH>400cm
12xMAX 2W G4 12Vac



14,8Kgf
148N



TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- -- FD

230-240V ~ 50/60Hz MAX 240W

12xMAX 20W G4 12V

Halogen

or

12xMAX 2W G4 12Vac

LED

OAHmax200cm
12xMAX 20W G4 12V





OAHmax300cm
12xMAX 14W G4 12V

OAHmax400cm
12xMAX 10W G4 12V

OAH>400cm
12xMAX 2W G4 12Vac




14,8Kgf
148N



CLEANING INSTRUCTIONS | monthly cleaning is recommended

YES



IT Usare panno elettrostatico asciutto

UK Use dry electrostatic cloth


FR Utiliser un chiffon électrostatique sec

DE Verwenden sie ein trockenes elektrostattuch

PY Использовать сухую электростатическую ткань

عربي استخدم قطعة قماش جافة كهرباء

NO



IT Non usare prodotti chimici

UK Do not use chemical products

FR Ne pas utiliser des produits chimiques

DE Verwenden Sie keine Chemikalien

PY Нельзя использовать химикаты

عربي لا تستخدم المنتجات الكيماوية




IT Conservare questa istruzione per la manutenzione | **UK** Keep these instructions for maintenance

FR Garder ces instructions pour l'entretien | **DE** Dies Wartungsanleitung ist aufzubewahren

PY Сохраните эту инструкцию по эксплуатации | عربي احتفظ بهذه الإرشادات للصيانة

TERZANI
LA LUCE PENSATA

Argent 4 linear multi light pendant
0N92S-FLD



Design Dodo Arslan

TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- -- FLD



220-240V ~ 50/60Hz MAX 24W

12xMAX 2W G4 12Vdc

LED



100KΩ 0/1...10 V PUSH DALI



IT

questo prodotto non è compatibile con le lampadine LED G4 12V a marchio Beghelli

UK

this product is not compatible with Beghelli branded G4 12V LED bulbs

FR

cet produit n'est pas compatible avec les ampoules LED G4 12V marquée Beghelli

DE

Das Produkt ist nicht kompatibel mit LED G4 12V Leuchtmittel Beghelli

RU

Это изделие не совместимо со светодиодными лампами LED Beghelli G4 12V

عربي
هذا المنتج لا يتوافق مع مصابيح LED G4 12V من نوع بيغيلي Beghelli

TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- FLD

220-240V ~ 50/60Hz MAX 24W

12xMAX 2W G4 12Vdc

LED



14,8Kgf
148N




100KΩ

0/1...10 V


PUSH

DALI




G*

POTENTIOMETER MODE 100Kohm




MODE 0-10V/1-10V PASSIVE





PUSH MODE



DALI MODE



① → ② → ③ → ④ → ⑤ → ⑥ → ⑦ → ⑧ → ⑨ → ⑩ → ⑪ → ⑫ → ⑬ → ⑭ → ⑮ → ⑯ → ⑰ → ⑱ → ⑲ → ⑳ → ㉑ → ㉒ → ㉓ → ㉔ → ㉕ → ㉖ → ㉗ → ㉘ → ㉙ → ㉚ → ㉛ → ㉜ → ㉝ → ㉞ → ㉟ → ㊱ → ㊲ → ㊳ → ㊴ → ㊵ → ㊶ → ㊷ → ㊸ → ㊹ → ㊺ → ㊻ → ㊼ → ㊽ → ㊾ → ㊿ → ① → ② → ③ → ④ → ⑤ → ⑥ → ⑦ → ⑧ → ⑨ → ⑩ → ⑪ → ⑫ → ⑬ → ⑭ → ⑮ → ⑯ → ⑰ → ⑱ → ⑲ → ⑳ → ㉑ → ㉒ → ㉓ → ㉔ → ㉕ → ㉖ → ㉗ → ㉘ → ㉙ → ㉚ → ㉛ → ㉜ → ㉝ → ㉞ → ㉟ → ㊱ → ㊲ → ㊳ → ㊴ → ㊵ → ㊶ → ㊷ → ㊸ → ㊹ → ㊺ → ㊻ → ㊼ → ㊽ → ㊾ → ㊿



TERZANI
LA LUCE PENSATA

ARGENT

CODE 0N92S -- -- FLD

220-240V ~ 50/60Hz MAX 24W

12xMAX 2W G4 12Vdc

LED



14,8Kgf
148N



100KΩ



0/1...10 V

PUSH

DALI




EAC



CLEANING INSTRUCTIONS | monthly cleaning is recommended

YES



IT Usare panno elettrostatico asciutto

UK Use dry electrostatic cloth


FR Utiliser un chiffon électrostatique sec

DE Verwenden sie ein trockenes elektrostattuch

PY Использовать сухую электростатическую ткань

عربي استخدم قطعة قماش جافة كهرباء

NO



IT Non usare prodotti chimici

UK Do not use chemical products

FR Ne pas utiliser des produits chimiques

DE Verwenden Sie keine Chemikalien

PY Нельзя использовать химикаты

عربي لا تستخدم المنتجات الكيماوية



IT Conservare questa istruzione per la manutenzione | **UK** Keep these instructions for maintenance

FR Garder ces instructions pour l'entretien | **DE** Dies Wartungsanleitung ist aufzubewahren

PY Сохраните эту инструкцию по эксплуатации | عربي احتفظ بهذه الإرشادات للصيانة